




Supplementary Figure S1.




Supplementary Figure S2.




Supplementary Figure S3.




Supplementary Figure S4.



Supplementary Figure S5.



Supplementary Figure S6.



Supplementary Table S1. Primer sequences used in study

PCR	
CDK7_C312_Forward	GCCCCGCCAGTCTTTAATG
CDK7_C312_Reverse	ACGGCACAGTCTCTACTT
CDK7_UTR_Forward	AGTGGGTGTTGGAGGCTTA
CDK7_UTR_Reverse	TGAACCTTCTCACTTTGCACT
Sequencing	
CDK7_C312_Forward	ACATTCAGATACTCACCTACCT
CDK7_C312_Reverse	TGTTGTTCAGTCGCTAGCCA
CDK7_Forward_1	TCTCGGGCAAAGCGTTAT
CDK7_Forward_2	CCATCACACATCAAAGCCTACA
CDK7_Forward_3	ACACCAACTGAGGAACAGTG
CDK7_Reverse_1	CTTGATGTGTGATGGTGTAG
CDK7_Reverse_2	TCAGTTGGTGTGCCAAAG
CDK7_Reverse_3	TGCCAAAGCTGGATTGATTG
qRT-PCR	
ABCB1_F	TTGCTGCTTACATTAGGTTCA
ABCB1_R	AGCCTATCTCCTGTCGCATTA
ABCC1_F	CTCTATCTCTCCGACATGACC
ABCC1_R	AGCAGACGATCCACAGAAAA
ABCG2_F	ACGAACGGATTAACAGGGTCA
ABCG2_R	CTCCAGACACACCACGGAT